

PRODUCT SELECTION GUIDE

 AimLite

YOUR TRUSTED PARTNER

ABOUT US

We are committed to always offer products that meet our customers' requirements and expectations. Thanks to this commitment we have developed a successful business over the years.

Our ISO/IEC 17025 certified laboratory is qualified by CSA International under the CPC (Certification by Category) program which allows us to conduct safety and performance evaluations and to perform over 100 different tests on our products. This allows AimLite to certify new custom products quickly and launch to the market.

AimLite's target is to maintain and improve its quality through programs that enable employees to do their job right the first time and use the best suppliers that share these same values.

Our team consists of some of the most knowledgeable and recognizable people in the Canadian emergency and lighting industry.

NEW PRODUCT DEVELOPMENT

Our engineering and marketing team is composed of specialists ranging from a variety of technical backgrounds which allows us to develop a multitude of new products to meet today's market needs and requirements. Our focus is to design innovative products at a competitive price to set ourselves ahead of our competition while maintaining industry standards such as long life and energy efficiency.

CUSTOMER SATISFACTION

Customer satisfaction is the company's main priority: we want to be our customers' preferred supplier.

Our customer service department is comprised of highly trained, knowledgeable and bilingual sales representatives whose only goal is to meet the needs of the customers. Sales staffs are continuously trained to keep them abreast of the latest lighting trends, technologies and developments so they may actively serve customers, resolve issues, initiate changes, and teach co-workers.

Our technicians have extensive academic and practical experience with degrees in engineering and administration, allowing us to offer technical support in the retail, distribution and manufacturing sectors.

AimLite's management is dedicated to its customers, employees and safety.

LEGEND



BRIDGE
EMERGENCY LIGHTING
LUMINAIRE
REMOTE NORMALLY ON



HAZARDOUS
LOCATION



NUCLEUS
COMPATIBLE







QUICK SHIP PRODUCTS

**AVAILABLE & READY TO GO
FOR ALL YOUR RUSH PROJECTS**


AimLite offers a wide range of products ready to go for all your projects needs.
Ordering AimLite's Quick Ship items has never been easier. Just place your order and
receive your items in a matter of days.
Product availability is subject to change without notice. Please contact your AimLite cus-
tomer service representative to confirm lead time at time of order.



QUICKSHIP







EMERGENCY LIGHTING

SIGNS



RPSTUMWHT-UNVDC
RPSTUMWHT-BAT1

RM STEEL U-FACE LED UNVDC WHT
RM STEEL U-F LED BAT 120MIN WHT

8740460070251
8740460091812



RPSPUWHT-UNVDC
RPSPUWHT-BAT

RM PLASTIC UF WH UDC 120/277/347
RM PLASTIC UF WH IB 120/277/347

8740460083800
8740460083817



RPNPUWHT-UNVDC-S
RPNPUWHT-BAT1-S

RM PLASTIC UF WH UDC 120-347VAC
RM PLASTIC UF WH IB 120MIN 120-347VAC

069549028685
069549028678



RMEC-BAT1

RM EDGE-LIT UF WHT IB 120 MIN 120-347 VAC

753454005369

COMBOS



CPRNP-2HI

RM CMB PLAS UF WH 3.6V 2X2W LED

069549028708



CSRP-2L
CSRP-3L
CSRP12-2L
CSRP0636UM-2SM9TWH

RM COMBO ST 6V36W 2 PAR18 2W LED
RM COMBO 6V 36W 2 PAR18 3W LED
RM COMBO 12V 72W W/ 2 PAR18 2.5W LED
RM COMBO ST 6V36W 2 PAR18 9W TUNGSTEN

8740460080274
753454000163
8740460080311
8740460070299

BATTERY UNITS



EBST-2L
EBST-3L
EBST12-2L

BATT. 6V 36W W/2 PAR 18 2 WATT LED
BATT 6V 36W W/2 PAR18 3W LED
BATT. 12V 72W W/2 PAR18 2.5W LED

8740460080267
753454000156
8740460080281



EBST06036-2SM09T
EBST06072-2SM09T
EBST12036-2SM09T
EBST12072-2SM09T

BATT.UNIT 6V 36W W/2PAR18 09WT
BATT.UNIT 6V 72W W/2PAR18 09WT
BATT.UNIT12V 36W W/2PAR18 09WT
BATT.UNIT12V 72W W/2PAR18 09WT








8740460080045
8740460080069
8740460083787
8740460080106



EBST12100-2SM09T

BATT.UNIT12V100W W/2PAR18 09WT

8740460080113

	EBST12160-2SM09T	BATT.UNIT12V160W W/2PAR18 09WT	8740460080120
	EBST12200-2SM09T	BATT.UNIT12V200W W/2PAR18 09WT	8740460080137
	EBST12250-2SM09T	BATT.UNIT12V250W W/2PAR18 09WT	8740460080144
	EBST12360-2SM09T	BATT.UNIT12V360W W/2PAR18 09WT	8740460080151
	EBPC-2L	BATT. PLASTIC. 6V 30W W/2 PAR18 2W LED	8740460069163
REMOTES			
	RMSM1-06V09WT	HEAD 06V09WT C/W CANOPY	8740460090013
	RMSM1-12V09WT	HEAD 12V09WT C/W CANOPY	8740460090037
	RMSM1-24V09WT	HEAD 24V09WT C/W CANOPY	8740460070831
	RMSM2-06V09WT	HEADS 06V09WT C/W CANOPY	8740460090020
	RMSM2-12V09WT	HEADS 12V09WT C/W CANOPY	8740460090044
	RMSM2-24V09WT	HEADS 24V09WT C/W CANOPY	8740460070879
	RMSM1-06V2WLJWHT	HEAD PAR18 6V LED 2W C/W CANOPY	8740460090136
	RMSM1-12V2WLJWHT	HEAD PAR18 12V LED 2W C/W CANOPY	8740460083763
	RMSM1-06-12V3WLJ	HEAD PAR18 6V TO 12V LED 3W C/W CANOPY	753454000170
	RMSM1-06-12V4WLJ	HEAD PAR18 06-12V LED 4W WHITE	753454000361
	RMSM2-06V2WLJWHT	HEADS PAR18 6V LED 2W C/W CANOPY	8740460090143
	RMSM2-12V2WLJWHT	HEADS PAR18 12V LED 2W C/W CANOPY	8740460083770
	RMSM2-06-12V3WLJ	HEADS PAR18 6V TO 12V LED 3W C/W CANOPY	753454000187
	RMSM2-06-12V4WLJ	HEADS PAR18 06-12V LED 4W WHT	753454000378
	RMMD1-06-24V4WLRWH	HEAD MR16 DIE CAST REMOTE 6-24V 4WLR WHITE	8740460070916
	RMMD2-06-24V4WLRWH	HEADS MR16 DIE CAST REMOTE 6-24V 4WLR WHITE	8740460070923



WAY2GO SERIES



LED
DEL



QUICKSHIP

DURATION OF OVER 3 HOURS 6V 27 OR 36W UNITS



STEEL COMBO

CSRP-2L
6V 36W
2X 2W LED

CSRP-3L
6V 36W
2X 3W LED



STEEL BATTERY UNIT

EBST-1L
6V 27W
2X 2W LED

EBST-2L
6V 36W
2X 2W LED

EBST-3L
6V 36W
2X 3W LED



PLASTIC BATTERY UNIT

EBPC-2L
6V 27W
2X 2W LED

DURATION OF OVER 8 HOURS 12V 72W UNITS

- 2 X 2.5W LED heads with lifetime limited warranty*
- LED heads equivalent to 2 X 20W MR16 lamps



CSR12-2L
STEEL COMBO
12V 72W
2X 2.5W LED



EBST12-2L
STEEL BATTERY UNIT
12V 72W
2X 2.5W LED

UNIVERSAL 6VDC TO 12VDC REMOTES

**NO MORE NEED TO CARRY
2 VOLTAGES IN STOCK**

- Crisp white 2W or 3W LEDs
- Limited lifetime warranty*



RMSM1-06-12V3WLJ
RMSM1-06V2WLJWHT
RMSM1-12V2WLJWHT
UP TO 38 FT
SPACING FOR AN 8 FT
MOUNTING HEIGHT



RMSM2-06-12V3WLJ
RMSM2-06V2WLJWHT
RMSM2-12V2WLJWHT
UP TO 78 FT
SPACING FOR AN 8 FT
MOUNTING HEIGHT




DESIGN SPACING GUIDELINE

SPACING GUIDELINE FOR REMOTE HEADS, BATTERY UNITS AND COMBO SIGNS

PHOTOMETRY PERFORMANCE

LED			DEDICATED HEAD	LUMEN OUTPUT [LM]	EFFICIENCY [LM/W]
2W	6V, 12V	LJ ¹	RMSM	126	63
2.5W	12V	LJ ¹	RMSM	183	73
3W	6-12V	LJ ¹	RMSM	313	104
4W	6-12V	LJ ¹	RMSM	330	82
5W	6-12V	LJ ¹	RMSM	591	118
4W	24V	LR ²		320	80
5W	24V	LA ²		438	87
6W	12-24V	LA ²		505	84
7W	12-24V	LA ²		631	90
5W	12-24V	LJ ³	RMHO	630	126
9W	12-24V	LJ ³	RMHO	1 100	122
14W	12-24V	LJ ³	RMHO	1 480	104

8' MOUNTING HEIGHT




¹ Lamps are only available with the RMSM head

² Available in multiple heads. Refer to spec sheet


³ Lamps are only available with RMHO head

DESIGN SPACING GUIDELINE

10' MOUNTING HEIGHT



15' MOUNTING HEIGHT



¹ Lamps are only available with the RMSM head

² Available in multiple heads. Refer to spec sheet

³ Lamps are only available with RMHO head

REMOTE LOADS GUIDELINE

BATTERY UNITS COMPLETE WITH LED HEADS¹

MODEL	VOLTS [V]	WATTAGE CAPACITIES (W)															
		TIME [MINS]															
		30	60	90	120	150	180	210	240	270	300	330	360	390	420	450	480
EBST-2L [4W ALREADY LOADED]	6	32	16	11	8	6	5	4	0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
EBST12-2L [5W ALREADY LOADED]	12	67	33.5	22.3	17	13	11	9.5	8	7.5	6.7	6	5.5	5	5	5	5

STANDARD BATTERY UNIT¹

MODEL	VOLTS [V]	WATTAGE CAPACITIES (W)			
		TIME [MINS]			
		30	60	90	120
EBST-06036	6	36	18	12	9
EBST-06050	6	50	25	16	12
EBST-06072	6	72	36	24	18
EBST-06100	6	100	50	33	25
EBST-06160	6	160	80	53	40
EBST-06180	6	180	90	60	45
EBST-12036	12	36	18	12	9
EBST-12050	12	50	25	16	12
EBST-12072	12	72	36	24	18
EBST-12100	12	100	50	33	25
EBST-12144	12	144	72	48	36
EBST-12160	12	160	80	53	40
EBST-12200	12	200	100	66	50
EBST-12250	12	250	125	83	62
EBST-12360	12	360	180	120	90
EBST-24144	24	144	72	48	36
EBST-24200	24	200	100	66	50
EBST-24320	24	320	160	106	80
EBST-24350	24	350	175	116	87
EBST-24550	24	550	275	183	137
EBST-24720	24	720	360	240	180

LOAD PER LED SIGN WHEN USING UNVDC

MODEL	MAX WATTAGE DRAW [W]
RPSP	2.1
RPNP	2.75
RPST	1.9
RPALW	1.9
RPEL	2.6
RPN	1.2

PLASTIC REMOTE HEAD

MODEL	MAX WATTAGE DRAW [W]
RMSM	2
	2.5
	3
	4
	5
	6
	7

¹ Please ensure you allow 20% when loading battery unit capacity.

/// You want to leave about 20% gap between the capacity of the battery and the amount of load you attach to it in order to maximize the life cycle of the battery.

SCENARIO 1 **///**

30 MINUTES RUN TIME REQUIREMENT



1X EBST-2L
6 V 36 W WITH 2X 2 W LED HEADS MOUNTED TO THE BATTERY
TOTAL CAPACITY: 36 W

-20% SUGGESTED USABLE CAPACITY: 28.8 W



2 LED HEADS	2X RPNP SERIES SIGNS	6X RMSM1
2 W PER HEAD	2.75 W PER SIGN	3 W PER REMOTE HEAD
4 W	5.5 W	18 W

TOTAL LOAD CONNECTED TO THE BATTERY UNIT = 27.5 W
REMAINING SUGGESTED CAPACITY = 1.3 W

SCENARIO 2 **///**

120 MINUTES RUN TIME REQUIREMENT



6X EBST12250-2SM5LA
12 V 250 W WITH 2X 5 W LED HEADS MOUNTED TO THE BATTERY
TOTAL CAPACITY: 6X 250 W = 1 500 W

-20% SUGGESTED USABLE CAPACITY:
6X 200 W = 1 200 W



6X 2 LED HEADS	10X RPNP SERIES SIGN	20X RMSM2
5 W PER HEAD	2.75 W PER SIGN	10 W PER DOUBLE REMOTE HEAD
60 W	27.75 W	200 W

TOTAL LOAD CONNECTED TO THE BATTERY UNIT = 287.75 W



INDOOR LIGHTING

HIGH BAY



HBRV-PS150-32/3C-B	ROUND LED HIGH BAYS 120-347V 16000-24000LM 100/120/150W 35K/40K/50K BLACK HOUSING	753454005199
HBRV-PS150-32/3C-W	ROUND LED HIGH BAYS 120-347V 16000-24000LM 100/120/150W 35K/40K/50K WHITE HOUSING	753454005137
HBRV-PS180-32/3C-B	ROUND LED HIGH BAYS 120-347V 23258/24621/29509LM 130/150/180W 35K/40K/50K BLACK HOUSING	753454005946
HBRV-PS240-32/3C-B	ROUND LED HIGH BAYS 120-347V 32000-36000LM 200/240W 35K/40K/50K BLACK HOUSING	753454005205



R21H-LA1-2/40K	ROUND LED INDUSTRIAL HIGHBAYS 120-277V 13465LM 100W 4000K	069549019140
R21H-LA1-2/50K	ROUND LED INDUSTRIAL HIGHBAYS 120-277V 13524LM 100W 5000K	069549019157
R21H-LA2-2/40K	ROUND LED INDUSTRIAL HIGHBAYS 120-277V 20315LM 151W 4000K	069549019164
R21H-LA2-2/50K	ROUND LED INDUSTRIAL HIGHBAYS 120-277V 20487LM 151W 5000K	069549019171
R21H-LA3-2/40K	ROUND LED INDUSTRIAL HIGHBAYS 120-277V 27069LM 202W 4000K	069549019188
R21H-LA5-2/50K	ROUND LED INDUSTRIAL HIGHBAYS 120-277V 37376LM 243W 5000K	069549019232



R19H-LA1-8/40K	RHB 347V 15328L 40K	753454001795
R19H-LA3A-2/40K	RHB 120-277V 27341L 40K	753454002730
R19H-LA3-2/50K	RHB 120-277V 33188L 50K	753454001153
R19H-LA4-2/50K	RHB 120-277V 37911L 50K	753454001177



E5H-24PS120-32-3C	LINEAR LED HIGH BAY 2FT 120-347V 80/100/120W 12800-19200LM 35/40/50K	753454005717
E5H-24PS160-32-3C	LINEAR LED HIGH BAY 2FT 120-347V 110/130/160W 17600-24800LM 35/40/50K	753454005724
E5H-24PS200-32-3C	LINEAR LED HIGH BAY 2FT 120-347V 155/185/200W 24800-31000LM 35/40/50K	753454005731
E5H-48PS160-32-3C	LINEAR LED HIGH BAY 4FT 120-347V 85/120/160W 13600-24800LM 35/40/50K	753454005748
E5H-48PS240-32-3C	LINEAR LED HIGH BAY 4FT 120-347V 160/200/240W 24800-37920LM 35/40/50K	753454005755
E5H-48PS360-32-3C	LINEAR LED HIGH BAY 4FT 120-347V 270/310/360W 42120-57600LM 35/40/50K	753454005762
E5H-48PS480-32-3C	LINEAR LED HIGH BAY 4FT 120-347V 320/400/480W 51200-76800LM 35/40/50K	753454005779
E5H-48PS625-32-3C	LINEAR LED HIGH BAY 4FT 120-347V 500/560/625W 80000-100000LM 35/40/50K	753454005786



E5H-24LA1-32/40K	LINEAR LED HIGHBAYS 2FT 120-347V 11475LM 85W 4000K	753454003553
E5H-24LA2-32/40K	LINEAR LED HIGHBAYS 2FT 120-347V 17550LM 130W 4000K	753454003577
E5H-24LA2-32/50K	LINEAR LED HIGHBAYS 2FT 120-347V 17680LM 130W 5000K	753454003584
E5H-24LA3-32/40K	LINEAR LED HIGHBAYS 2FT 120-347V 22950LM 170W 4000K	753454003591
E5H-24LA3-32/50K	LINEAR LED HIGHBAYS 2FT 120-347V 23120LM 170W 5000K	753454003607
E5H-24LA4-32/40K	LINEAR LED HIGHBAYS 2FT 120-347V 28350LM 210W 4000K	753454003614
E5H-24LA4-32/50K	LINEAR LED HIGHBAYS 2FT 120-347V 28560LM 210W 5000K	753454003621
E5H-48LA1-32/50K	LINEAR LED HIGHBAYS 4FT 120-347V 34425LM 255W 5000K	753454003645
E5H-48LA2-32/40K	LINEAR LED HIGHBAYS 4FT 120-347V 40723LM 300W 4000K	753454003652
E5H-48LA2-32/50K	LINEAR LED HIGHBAYS 4FT 120-347V 41140LM 300W 5000K	753454003669
E5H-48LA3-32/50K	LINEAR LED HIGHBAYS 4FT 120-347V 53607LM 400W 5000K	753454003683

CUBE / WRAP / STRIP



CBL-48LPS40-32/3C

4FT LED CUBE 120347V 22/30/40W 30/40/50K

753454006806



W13GM-24-1-G2

LED LINKABLE WRAP 2FT 120-277V 25W 40K

753454003188

W13GM-24HD-3C-G2

2FT LINKABLE WRP HD 120277 44W 30/40/50K

753454004796

W13GM-48-2-G3

4FT LED LINKABLE WRAP 120-277V 44W 40K 5000LM

753454006424

W13GM-48PS-32/5C

4FT LED NONLINK WRAP 120347 30/35/40W 30/35/40/45/50K

753454006837



W18NS-48PS-32/3C

4FT LED WRAP 120-347V 22/30/38W 35/40/50K 2970-5320LM

753454006783



SRS-2LA1-32/3C

2FT SLIM STRIP 2600L 20W 35/4/5K 120347V

753454006271

SRS-4LP45-32/3C

4FT SLIM STRIP 25/30/45W 35/4/5K 120347V

753454006288

SRS-8LP90-32/3C

8FT SLIM STRIP 65/75/90W 35/4/5K 120347V

753454006295



SQS-4LP45-32/3C

4FT SLIM STRIP SQR 25/30/45W 3CCT 120347

753454006301

SQS-4LP45-32/3C-BK

4FT SLIMSTR SQR 25/30/45W 3CCT 120347 BK

753454006325

SQS-8LP90-32/3C

8FT SLIM STRIP SQR 65/75/90W 3CCT 120347

753454006318

SQS-8LP90-32/3C-BK

8FT SLIMSTR SQR 65/75/90W 3CCT 120347 BK

753454006332



S20TR-24LA1-32/3C

2FT SENSOR STRIP 20W 35/40/50K 120-347V

753454004901

S20TR-36LP30-32/3C

3FT SENSOR STRIP 18/25/30W 35/40/50K 120-347V

753454005267

S20TR-48LP40-32/3C

4FT SENSOR STRIP 25/30/40W 35/40/50K 120-347V

753454004918

S20TR-48LP45-32/3C

4FT SENSOR STRIP 34/38/45W 35/40/50K 120-347V

753454004840

S20TR-48LP45323CBK

4FT SENSTRIP 34/38/45W 35/4/5K 120347BLK

753454006684

S20TR-48P45/3C/PIR

4FT PIR STRIP 34/38/45W 35/40/50K 12034

753454007049

S20TR-48LP80-32/3C

4FT SENSORSTRIP 44/60/80W 35/4/5K 120347

753454006721

S20TR-48LA2-32/3C

4FT SENSOR STRIP 56W 35/40/50K 120-347V

753454004925

S20TR-96LP90-32/3C

8FT SENSOR STRIP 65/75/90W 35/40/50K 120-347V

753454004932

S20TR-96P90/3C/PIR

8FT PIR STRIP 65/75/90W 35/40/50K 120347

753454007056



S20RS-24LA1-32/3C

2FT STRIP 20W 35/40/50K 120-347V

753454004888

S20RS-36LP30-32/3C

3FT STRIP 18/25/30W 35/40/50K 120-347V

753454005250

S20RS-48LP40-32/3C

4FT STRIP 25/30/40W 35/40/50K 120-347V

753454004819

S20RS-48LP45-32/3C

4FT STRIP 34/38/45W 35/40/50K 120-347V

753454004826

S20RS-48LP45323CBK

4FT STRIP 34/38/45W 35/40/50K 120347 BLK

753454006660

S20RS-48LP80-32/3C

4FT STRIP 44/60/80W 35/40/50K 120-347V

753454006707

S20RS-48LA1-32/3C

4FT STRIP 35W 35/40/50K 120-347V

753454006011

S20RS-48LA2-32/3C

4FT STRIP 56W 35/40/50K 120-347V

753454004895

S20RS-96LP90-32/3C

8FT STRIP 65/75/90W 35/40/50K 120-347V

753454004833

S20RS-96LP90323CBK

8FT STRIP 65/75/90W 35/40/50K 120347 BLK

753454006677

S20RS-96LP142-323C

8FT STRIP 112/126/142W 35/40/50K120-347V

753454006714

PANEL LIGHT



P14AR-1LPS35-32/3C
P14AR-2LP35P-32/3C
P14AR-4LP50P-32/3C

ARCTEC BCKLT PAN 1X4 25/30/35W 35/40/50K
 ARCTEC BCKLT PAN 2X2 25/30/35W 35/40/50K
 ARCTEC BCKLT PAN 2X4 30/40/50W 35/40/50K


753454004857
 753454004864
 753454004871



PBLV-1LPS40-32/5C
PBLV-2LPS40-32/5C
PBLV-4LPS50-32/5C

BL PNL 1X4 20/25/30/35/40W 120-347 30/35/40/50/65K
 BL PNL 2X2 20/25/30/35/40W 120-347 30/35/40/50/65K
 BL PNL 2X4 30/35/40/45/50W 120-347 30/35/40/50/65K

753454006134
 753454006141
 753454006158



P14BR-2LA1-32/40K
P14BR-4LA1-32/40K
P14BR-1LPS40-32/3C
P14BR-2LPS-32/3C
PBLP-1LPS40P-32/3C
PBLP-2LPS40P-32/3C
PBLP-4LPS50P-32/3C

BACKLIT PANEL 2X2 40W 120-347V 40K
 BACKLIT PANEL 2X4 50W 120-347V 40K
 BACKLIT PANEL 1X4 20/30/40W 35/40/50K DPD
 BL PAN 2X2 20/30/40W 120-347V 35/40/50K
 BACKLIT PANEL PR 1X4 20/30/40W 35/40/50K G2
 BACKLIT PANEL PR 2X2 20/30/40W 35/40/50K G2
 BACKLIT PANEL PR 2X4 30/40/50W 35/40/50K G2


753454001696
 753454001702
 753454004598
 753454001726
 753454007209
 753454007216
 753454007223



PF-DWK-1X4-A
PF-DWK-2X2-A
PF-DWK-2X4-A

DRYWALL KIT LED BACKLIT PANEL 1X4
 DRYWALL KIT LED BACKLIT PANEL 2X2
 DRYWALL KIT LED BACKLIT PANEL 2X4

753454003355
 753454003362
 753454003379



CAS973-1
CAS973-2
CAS973-3

SURFACE MOUNT KIT LED BACKLIT PANEL 1X4
 SURFACE MOUNT KIT LED BACKLIT PANEL 2X2
 SURFACE MOUNT KIT LED BACKLIT PANEL 2X4

753454001740
 753454001757
 753454001764



KIT-SUS-CH
JB024-BP
JB027-BP

SUSPENSION KIT LED BACKLIT PANEL
 JUNCTION BOX BACKLIT PNL 5.5X4.3X1.26IN
 JUNCTION BOX BACKLIT PNL GEN 2

753454002402
 753454002419
 753454004772

CENTER BASKET







C2AR-1LPS30P-32/3C
C2AR-2LPS35P-32/3C
C2AR-4LPS45P-32/3C




LED BSKT 1X4 120347V 20/25/30W 35/40/50K
 LED BSKT 2X2 120347V 25/30/35W 35/40/50K
 LED BSKT 2X4 120347V 34/38/45W 35/40/50K


753454004697
 753454004703
 753454004710

LINEAR ARCHITECTURAL

	AUS-G2-2LA1-3C-WH	AUSO GEN2 2FT LA1 3C WH	753454005434
	AUS-G2-2LA1-3C-BK	AUSO GEN2 2FT LA1 3C BK	753454005441
	AUS-G2-2LA1U-3C-WH	AUSO GEN2 2FT LA1U 3C WH	753454005458
	AUS-G2-2LA1U-3C-BK	AUSO GEN2 2FT LA1U 3C BK	753454005465
	AUS-G2-4LA1-3C-WH	AUSO GEN2 4FT LS1 3C DIRECT WH	753454002440
	AUS-G2-4LA2-3C-WH	AUSO GEN2 4FT LS2 3C DIRECT WH	753454002457
	AUS-G2-4LA2-3C-BK	AUSO GEN2 4FT LS2 3C DIRECT BK	753454002464
	AUS-G2-4LA2U-3C-WH	AUSO GEN2 4FT LS2 3C DIRECT/INDIRECT WH	753454002471
	AUS-G2-4LA2U-3C-BK	AUSO GEN2 4FT LS2 3C DIRECT/INDIRECT BK	753454002488
	AUS-G2-8LA1-3C-WH	AUSO GEN2 8FT LS1 3C DIRECT WH	753454002495
	AUS-G2-8LA1-3C-BK	AUSO GEN2 8FT LS1 3C DIRECT BK	753454002501
	AUS-G2-8LA1U-3C-WH	AUSO GEN2 8FT LS1 3C DIRECT/INDIRECT WH	753454002518
	AUS-G2-8LA1U-3C-BK	AUSO GEN2 8FT LS1 3C DIRECT/INDIRECT BK	753454002525
	KIT-CK2	CONT KIT FOR AUSO ROW MOUNTING GEN2	753454002532
	CANOPY-AUS-L-WH	CANOPY KIT WITH SUSPENSION CABLES FOR AUSL - WH	753454004758
	CANOPY-AUS-L-BK	CANOPY KIT WITH SUSPENSION CABLES FOR AUSL - BK	753454004765
	D19P-G2-4LA1-3C	D19P SUSPENDED LED 4FT 3CCT 120-277V WH	753454003935
	KAT-LA1-24/35K	T-GRID LED LINEAR 2FT 10W 35K 1260LM	753454003294
	KAT-LA1-24/40K	T-GRID LED LINEAR 2FT 10W 40K 1320LM	753454003300
	KAT-LA2-48/35K	T-GRID LED LINEAR 4FT 10W 35K 2540LM	753454003317
	KAT-LA2-48/40K	T-GRID LED LINEAR 4FT 10W 40K 2670LM	753454003324
	PSTG30W	30W POWER SUPPLY FOR 2FT TGRID	8740460015641
	PSTG60W	60W POWER SUPPLY FOR 4FT TGRID	8740460015658

VAPOR TIGHT

WIDE BODY			
	VPE4-LA3B-32-3C	VPE4-L LED 4FT 120-347V 5379-5688LM 40W 35/40/50K	753454005304
	VPE4-LA4B-32-3C	VPE4-L LED 4FT 120-347V 8061-8441LM 60W 35/40/50K	753454005311
	VPE4-LA3-2/40K	VPE4 LED 4FT 40W 5200LM 120-277V 40K DIM1	8740460082742
	VPE4-LA3-2/40/DS1	VPE4 LED 4FT 40W 5200LM 120-277V 40K DS1	8740460086993
	VPE4-LA3-2/50K	VPE4 LED 4FT 40W 5200LM 120/277V 50K DIM1	8740460083046
	VPE4-LA4-2/40K	VPE4 LED 4FT 60W 7900LM 120-277V 40K DIM1	8740460082759
	VPE4-LA4-2/50K	VPE4 LED 4FT 60W 7900LM 120/277V 50K DIM1	8740460083053
MEDIUM BODY			
	VPL4-PS42B-32-3C	LED 4FT 30/35/42W 4351-5870LM 120-347V 3CCT	753454005144
	VPL4-PS65B-32-3C	LED 4FT 30/45/65W 4278-9001LM 120-347V 3CCT	753454005151
	VPL8-LA1B-32-3C	LED 8FT 120-347V 9622LM 65W 35/40/50K	753454005168
	VPL8-PS110B-32-3C	LED 8FT 65/75/90/110W 9796-16101LM 120-347V 3CCT	753454005175
	VPL8-LA1-32/40K	VPL8-L LED VT 8FT 120347V 8450L 40K	753454003409
	VPL8-LA1-32/50K	VPL8-L LED VT 8FT 120347V 8450L 50K	753454003416
	VPL8-LA1A-32/40K	VPL8-L LED VT 8FT 120347V 12600L 40K	753454002570
	VPL8-LA1A-32/50K	VPL8-L LED VT 8FT 120347V 12600L 50K	753454002587
	VPL8-LA3-32/40K	VPL8-L LED VT 8FT 120347V 15400L 40K	753454002594
	VPL8-LA3-32/50K	VPL8-L LED VT 8FT 120347V 15400L 50K	753454002600



OUTDOOR LIGHTING

WALL PACK



W3I-LA2B-2-3C-BR-P	LED Wall Packs 20W 2560-2921LM 120-277V 3000K/4000/5000K BRONZE	753454004079
W3I-LA2B-2-3C-WH-P	LED Wall Packs 20W 2560-2921LM 120-277V 3000K/4000/5000K WHITE	753454004086



W16A-LA1B-2-3C-BR-P	W16A-LA1B-2-3C-BR-P 120-277 2262LM 3C AM	753454003461
----------------------------	--	--------------



W16S-PS40B-323CBK	LED WALL PACK 25/30/40W 3855-5981LM 120-347V 3000/4000/5000K BLACK	753454006356
W16S-PS100B-323CBK	LED WALL PACK 60/80/100W 8678-14554LM 120-347V 3000/4000/5000K BLACK	753454006363
W16S-NS120B-323CBK	LED WALL PACK 120W 17430LM 120-347V 3000/4000/5000K BLACK	753454006370
W16S-PS40B-323CBR	LED WALL PACK 25/30/40W 3855-5981LM 120-347V 3000/4000/5000K BRONZE	753454006103
W16S-PS100B-323CBR	LED WALL PACK 60/80/100W 8678-14554LM 120-347V 3000/4000/5000K BRONZE	753454006110
W16S-NS120B-323CBR	LED WALL PACK 120W 17430LM 120-347V 3000/4000/5000K BRONZE	753454006349
W16S-PS40B-323CWH	LED WALL PACK 25/30/40W 3855-5981LM 120-347V 3000/4000/5000K WHITE	753454006752
W16S-PS100B-323CWH	LED WALL PACK 60/80/100W 8678-14554LM 120-347V 3000/4000/5000K WHITE	753454006769



WCS-PS60-32-3C-BK	WP 120-347V 4200-8400LM 3CCT BLACK	753454006028
WCS-PS80-32-3C-BK	WP 120-347V 5600-11200LM 3CCT BLACK	753454006035
WCS-PS60-32-3C-BR	WP 120-347V 4200-8400LM 3CCT BRONZE	753454006042
WCS-PS80-32-3C-BR	WP 120-347V 5600-11200LM 3CCT BRONZE	753454006059



W6C-PS60A3-323CBRP	W6C-PS60A3-32-3C-BR-P 3347-7380 WP	753454003492
W6C-PS100A3-323CBRP	W6C-PS100A3-32-3C-BR-P 10000-13165 WP	753454003508



W20T-PS30A-323CBRP	W20T-PS30A-32-3C-BR-P 1950-3925 120-347	753454003911
W20T-PS80A-323CBRP	W20T-PS80A-32-3C-BR-P 6500-10429 120-347	753454003928



OVW-LA1-2-3C-BR	LED WALL PACK 1800LM 120-277V 3CCT BRONZE	753454005960
OVW-LA1-2-3C-BK	LED WALL PACK 1800LM 120-277V 3CCT BLACK	753454005953
OVW-LA1-2-3C-WH	LED WALL PACK 1800LM 120-277V 3CCT WHITE	753454005977




FLOOD LIGHT



POWER AND CCT SELECTABLE

FSBS-PS150W-323CBR	FL 120-347V 8 700-21 750LM 3CCT BRONZE
FSBM-PS300W-323CBR	FL 120-347V 23 200-43 500LM 3CCT BRONZE
FSBL-PS450W-323CBR	FL 120-347V 50 750-63 000LM 3CCT BRONZE
FSBS-PS150W-323CBK	FL 120-347V 8 700-21 750LM 3CCT BLACK
FSBM-PS300W-323CBK	FL 120-347V 23 200-43 500LM 3CCT BLACK
FSBL-PS450W-323CBK	FL 120-347V 50 750-63 000LM 3CCT BLACK

MOUNTING ACCESSORIES FOR FSB SERIES



CAS1013-YOKE-S-BR	BRONZE YOKE 150W
CAS1013-YOKE-M-BR	BRONZE YOKE 300W
CAS1013-YOKE-L-BR	BRONZE YOKE 450W
CAS1013-TRUNNIONBR	BRONZE TRUNNION 150-450W
CAS1013-SFITTERSBR	BRONZE SLIPFITTER 150-300W
CAS1013-SFITTERLBR	BRONZE SLIPFITTER 450W
CAS1013-RNDSQPBR	BZ STRAIGHT ARM SQR/RND POLE 150-450W
KITCAS1013-SWADSBR	BZ SLIPFITTER WALL ADAPT. 150-300W
KITCAS1013-SWADLBR	BZ SLIPFITTER WALL ADAPT. 450W
CAS1013-YOKE-S-BK	BLACK YOKE 150W
CAS1013-YOKE-M-BK	BLACK YOKE 300W
CAS1013-YOKE-L-BK	BLACK YOKE 450W
CAS1013-TRUNNIONBK	BLACK TRUNNION 150-450W
CAS1013-SFITTERSBK	BLACK SLIPFITTER 150-300W
CAS1013-SFITTERLBK	BLACK SLIPFITTER 450W
CAS1013-RNDSQPBK	BK STRAIGHT ARM SQR/RND POLE 150-450W
KITCAS1013-SWADSBK	BK SLIPFITTER WALL ADAPT. 150-300W
KITCAS1013-SWADLBK	BK SLIPFITTER WALL ADAPT. 450W
GS012-S-BR	BRONZE GLARE SHIELD 150W
GS012-M-BR	BRONZE GLARE SHIELD 300W
GS012-L-BR	BRONZE GLARE SHIELD 450W
GS012-S-BK	BLACK GLARE SHIELD 150W
GS012-M-BK	BLACK GLARE SHIELD 300W
GS012-L-BK	BLACK GLARE SHIELD 450W
LEN412-S-T2	T2 AREA LIGHT OPTICS FOR 150W
LEN412-S-T3	T3 AREA LIGHT OPTICS FOR 150W
LEN412-S-T5	T5 AREA LIGHT OPTICS FOR 150W
LEN412-M-T2	T2 AREA LIGHT OPTICS FOR 300W
LEN412-M-T3	T3 AREA LIGHT OPTICS FOR 300W
LEN412-M-T5	T5 AREA LIGHT OPTICS FOR 300W
LEN412-L-T2	T2 AREA LIGHT OPTICS FOR 450W
LEN412-L-T3	T3 AREA LIGHT OPTICS FOR 450W
LEN412-L-T5	T5 AREA LIGHT OPTICS FOR 450W
LEN412-S-T4	T4 AREA LIGHT OPTICS FOR 150W
LEN412-M-T4	T4 AREA LIGHT OPTICS FOR 300W
LEN412-L-T4	T4 AREA LIGHT OPTICS FOR 450W



FLOOD LIGHT



FBL-PS25-32-3C-BK

BULLET FLOOD LIGHT 15/20/25W 120-347V 30/40/50K 4X4/5X5/6X6
PHOTOCELL BLACK

753454007261



MLFPS25B323CBK

LED FLOOD LIGHT 15/25W 3493LM 120-347V 3000/4000/5000K KNUCKLE,
YOKE MOUNTS & WALL MOUNT PLATE BLACK

753454006387

MLFPS60B323CBKP

LED FLOOD LIGHT 35/60W 8435LM 120-347V 3000/4000/5000K KNUCKLE,
YOKE MOUNTS & WALL MOUNT PLATE BLACK

753454006394

MLFPS100B323CBKP

LED FLOOD LIGHT 60/80/100W 14093LM 120-347V 3000/4000/5000K
SLIPFITTER, YOKE BLACK

753454006400

MLFPS150B323CBKP

LED FLOOD LIGHT 100/120/150W 21470LM 120-347V 3000/4000/5000K
SLIPFITTER, YOKE BLACK

753454006417

UNDER CANOPY AND GARAGE LIGHT



UCS-PS70A-32-3CBRP

SQUARE LED CANOPY/GARAGE LIGHT 40/60/70W 5 798/8 378/9 745LM,

UCS-PS70A-32-3CWHP

120-347V, 3000/4000/5000K BRONZE , PHOTOCELL INCLUDED CONTROL READY
SQUARE LED CANOPY/GARAGE 40/60/70W 5 798/8 378/9 745LM, 120-347V,
3000/4000/5000K WHITE , PHOTOCELL INCLUDED CONTROL READY

JAM JAR AND SECURITY LIGHTS



JAM-PS20A-32-3C-GY

JM 120-347V 1 253-2 501LM 3CCT GREY

753454005182



SDH-LA1B-4-3C-BR

SECURITY LIGHT 120V 1974LM 3CCT BRONZE

753454005571

SDH-LA1B-4-3C-WH

SECURITY LIGHT 120V 1974LM 3CCT WHITE

753454005588



CSH-PS24A-4-3C-BK

SECURITY LIGHT 120V 1 852-2 498LM 3CCT BLACK

CSH-PS24A-4-3C-WH

SECURITY LIGHT 120V 1 852-2 498LM 3CCT WHITE



PRODUCT GUIDE



EMERGENCY



INDUSTRIAL



COMMERCIAL



HAZARDOUS
LOCATION



ARCHITECTURAL



EMERGENCY LIGHTING

SIGNS

DELUGE - RPN



RPNX



RPSP



RPSC



RPNP



RP10



RPDB



RPALW



RPST



RMEC



RPVR



RPES



RPER



RPEL



RPTe



RPWP



RPRC



RPHZ



RPZN2



COMBOS

DELUGE- CRPN



CRPNX



CRPER



CRVE



CSRM1



CARPW



CPRNP-2HI



CORP



CSRP-2L
CSRP12-2L



CSRP



RPU8



CRRP





BATTERY UNITS




REMOTES



RMHO**RMHZ****EMERGENCY POWER CONVERSION MODULE****BRIDGE****PHOTOLUMINESCENT****AI723****RPTB****ZONE SENSING****ZNSC2****INVERTERS****EBST-MVP****NVJ****NVM****NVP****NVQ****NVR**

ACCESSORIES

WGD WIREGUARDS & SHELVES



SPECIAL WORDING



OUTDOOR LIGHTING

WALL PACKS

W16A-L GEN2

LED



W6C

LED



W20T

LED



W16S-L GEN4

LED



W31-L GEN2

LED



OVA-L

LED



CYL

LED



FLOOD LIGHTS

FSB SERIES

LED



FBL

LED



MLF GEN. 2

LED



AREA LIGHTING

A12K-L GEN. 2

LED



PST

LED



BOLLARDS

B15H-L	B15A-L
LED	LED
	

UNDER CANOPY & GARAGE

UCL-L	JAM-L	SDH-L
LED	LED	LED
		

VAPOR TIGHTS

VPL4-L GEN. 2	VPL8-L GEN. 2	VPL8-L GEN. 1	VPE4-L GEN. 2	VPE4-L GEN. 1	VP2-L GEN. 2	VP4-L GEN. 2
LED	LED	LED	LED	LED	LED	LED
						
VWP4-L GEN. 2	VWP8-L GEN. 2	WPFH-L GEN. 2	VWX4-L	VP2	VP4	VWP4
LED	LED	LED	LED	FLUO	FLUO	FLUO
						
VWP8	VWX4	VP4T8332				
FLUO	FLUO	FLUO				
						

INDOOR LIGHTING

HIGH BAYS

HBRV LED 	R21H LED 	R19H LED 	ESH GEN. 2 LED 	ESH GEN. 1 LED 	WPFH-L GEN 2 LED 
H242-L LED 	H246-L LED 	H249-L LED 	H24S-L LED 	H24Z-L LED 	H24X-L LED 
H24C-L LED 	H24D-L LED 				

STRIPS

S20RS LED 	S20TR LED 	SQS LED 	SRS LED 
--	--	--	---

WRAPS

W13GM

LED



W18NS

LED



CUBES

CBL

LED



PANELS / CENTER BASKETS

P14AR

LED



PBLV

LED



P14BR

LED



PBLP

LED



V2MR-L

LED



C2AR GEN 2

LED



TRACK SYSTEM

AL22

LED



AL94

LED



AL96

LED



AL9206

LED



AWL02S-AWL02D

LED



AG05N

INC



AG07N

INC



AG08N

INC



AL10

INC



AL95






INC



LINEAR ARCHITECTURAL

ALUMBRA - D19P LED 	AUKIO GEN 2 - KIO LED 	AUKIO GEN 2 - KIOS LED 	AUKIO GEN 2 - KIOR LED 	AUSD - AUS-L LED 	AUSD - AUS-L GEN 2 LED 
KATTO LED 	NOKTA LED 				

RECESSED ARCHITECTURAL

A186 LED 	C186 LED 	R12R LED 	R19R LED 	R5C4-L LED 
---	---	---	--	---

HAZARDOUS

HZL2 LED 	HZF2 LED 	HZB2 LED 
--	--	--

TERMS & CONDITIONS OF SALES

1. PRICING

Prices are subject to change without notice. In the event of a price increase all orders on hand will be filled at lower prices provided such orders are released from shipping prior to the price increase. If the orders are not released for shipment prior to the price increase, the orders will be billed at prices in effect at the time of the shipment. Minimum billing is 100\$ net.

2. MINIMUM ORDER

Minimum order is 100\$ net.

3. TAXES

Prices exclude taxes. GST & PST (where applicable) are not included in prices.

4. BACK ORDERS

All backorders will be cancelled after 3 months.

5. PAYMENT TERMS

All Aimlite payment terms are Net 30 days.

6. FREIGHT ALLOWANCE CANADA

Shipments are F.O.B our plant minimum prepaid \$1,250.00 for all major points within Canada except for poles and inverters over 1400 watts are prepaid and charged. All orders having a distributor price less than the minimum mentioned above will be assessed freight and handling charges. Special customer shipping requirements that cause additional shipping expenses above normal may be charged for the additional cost.

Special customer shipping requirements that cause additional shipping expenses above normal may be charged for the additional cost. Shipments to the USA for Canadian customers will be subject to duty and brokerage fees at the customer's expense.

7. TRANSPORTATION CLAIMS

All our products are factory tested to be free from defects prior to shipping. Title passes to purchaser upon delivery by us to transporter, and all claims for damages or shortages in transit shall be made by the purchaser with delivering transport company. Our customer service personnel will be glad to assist in any way in the advent that purchaser requires assistance.

8. RETURN OF MERCHANDISE

Merchandise may not be returned without prior written notice. Requests to return merchandise must be made within 60 days of receipt of goods. All returns must be shipped prepaid to Aimlite. Credit will be issued based on the original invoice price, or price in effect at time of return, whichever is lower, less minimum restocking charge of 35%. All non-stocking, special, custom made or modified versions of normal stocking items are not returnable.

9. CANCELLATION CHARGES

Orders for stocking items may be cancelled prior to shipping without charge. All other orders may not be cancelled unless Aimlite is reimbursed for work already performed and for special material purchased by our company. If an order is cancelled after shipment or if delivery is refused at destination, all warehouse, delivery, and return costs will be charged to the customer.

10. POLES

Shipment and Storage: Shipment of goods must be made within thirty (30) days of completion, or be subject to a stocking charge. Poles not erected immediately must be unwrapped by purchaser and stored above ground. AimLite is not responsible for erosion to finish caused by improper storage.



NOTES



2233 rue de l'Aviation,
Dorval QC
H9P2X6, CA

T 514 227-1288
TF 1 866 348-2374
in f o y AimLite.com

2025-04-25