

PRODUCT SELECTION GUIDE

AimLite

YOUR TRUSTED PARTNER

ABOUT US

We are committed to always offer products that meet our customers' requirements and expectations. Thanks to this commitment we have developed a successful business over the years.

Our ISO/IEC 17025 certified laboratory is qualified by CSA International under the CPC (Certification by Category) program which allows us to conduct safety and performance evaluations and to perform over 100 different tests on our products. This allows AimLite to certify new custom products quickly and launch to the market.

AimLite's target is to maintain and improve its quality through programs that enable employees to do their job right the first time and use the best suppliers that share these same values.

Our team consists of some of the most knowledgeable and recognizable people in the Canadian emergency and lighting industry.

NEW PRODUCT DEVELOPMENT

Our engineering and marketing team is composed of specialists ranging from a variety of technical backgrounds which allows us to develop a multitude of new products to meet today's market needs and requirements. Our focus is to design innovative products at a competitive price to set ourselves ahead of our competition while maintaining industry standards such as long life and energy efficiency.

CUSTOMER SATISFACTION

Customer satisfaction is the company's main priority: we want to be our customers' preferred supplier.

Our customer service department is comprised of highly trained, knowledgeable and bilingual sales representatives whose only goal is to meet the needs of the customers. Sales staffs are continuously trained to keep them abreast of the latest lighting trends, technologies and developments so they may actively serve customers, resolve issues, initiate changes, and teach co-workers.

Our technicians have extensive academic and practical experience with degrees in engineering and administration, allowing us to offer technical support in the retail, distribution and manufacturing sectors.

AimLite's management is dedicated to its customers, employees and safety.



LEGEND

BRIDGE
EMERGENCY LIGHTING LUMINAIRE REMOTE NORMALLY **ON**

HAZARDOUS LOCATION

NUCLEUS COMPATIBLE



QUICK SHIP PRODUCTS

AVAILABLE & READY TO GO FOR ALL YOUR RUSH PROJECTS

AimLite offers a wide range of products ready to go for all your projects needs.
Ordering AimLite's Quick Ship items has never been easier. Just place your order and receive your items in a matter of days.
Product availability is subject to change without notice. Please contact your AimLite customer service representative to confirm lead time at time of order.

QUICKSHIP




A

EMERGENCY LIGHTING

SIGNS

	**RPSTUMWHT-UNVDC**	RM STEEL U-FACE LED UNVDC WHT	8740460070251
	RPSTUMWHT-BAT1	RM STEEL U-F LED BAT 120MIN WHT	8740460091812
	**RPSPUWHT-UNVDC**	RM PLASTIC UF WH UDC 120/277/347	8740460083800
	RPSPUWHT-BAT	RM PLASTIC UF WH IB 120/277/347	8740460083817
	**RPNPUWHT-UNVDC-S**	RM PLASTIC UF WH UDC 120-347VAC	069549028685
	RPNPUWHT-BAT1-S	RM PLASTIC UF WH IB 120MIN 120-347VAC	069549028678

COMBOS

	**CPRNP-2HI**	RM CMB PLAS UF WH 3.6V 2X2W LED	069549028708
	**CSRP-2L**	RM COMBO ST 6V36W 2 PAR18 2W LED	8740460080274
	CSRP-3L	RM COMBO 6V 36W 2 PAR18 3W LED	753454000163
	CSRP12-2L	RM COMBO 12V 72W W/ 2 PAR18 2.5W LED	8740460080311
	CSRP0636UM-2SM9TWH	RM COMBO ST 6V36W 2 PAR18 9W TUNGSTEN	8740460070299

BATTERY UNITS

	**EBST-2L**	BATT. 6V 36W W/2 PAR 18 2 WATT LED	8740460080267
	EBST-3L	BATT 6V 36W W/2 PAR18 3W LED	753454000156
	EBST12-2L	BATT. 12V 72W W/2 PAR18 2.5W LED	8740460080281
	**EBST06036-2SM09T**	BATT.UNIT 6V 36W W/2PAR18 09WT	8740460080045
	EBST06072-2SM09T	BATT.UNIT 6V 72W W/2PAR18 09WT	8740460080069
	EBST12036-2SM09T	BATT.UNIT12V 36W W/2PAR18 09WT	8740460083787
	EBST12072-2SM09T	BATT.UNIT12V 72W W/2PAR18 09WT	8740460080106
	**EBST12100-2SM09T**	BATT.UNIT12V100W W/2PAR18 09WT	8740460080113

	**EBST12160-2SM09T**	BATT.UNIT12V160W W/2PAR18 09WT	8740460080120
	EBST12200-2SM09T	BATT.UNIT12V200W W/2PAR18 09WT	8740460080137
	EBST12250-2SM09T	BATT.UNIT12V250W W/2PAR18 09WT	8740460080144
	EBST12360-2SM09T	BATT.UNIT12V360W W/2PAR18 09WT	8740460080151
	**EBPC-2L**	BATT. PLASTIC. 6V 30W W/2 PAR18 2W LED	8740460069163

REMOTES

	**RMSM1-06V09WT**	HEAD 06V09WT C/W CANOPY	8740460090013
	RMSM1-12V09WT	HEAD 12V09WT C/W CANOPY	8740460090037
	RMSM1-24V09WT	HEAD 24V09WT C/W CANOPY	8740460070831
	**RMSM2-06V09WT**	HEADS 06V09WT C/W CANOPY	8740460090020
	RMSM2-12V09WT	HEADS 12V09WT C/W CANOPY	8740460090044
	RMSM2-24V09WT	HEADS 24V09WT C/W CANOPY	8740460070879
	**RMSM1-06V2WLJWHT**	HEAD PAR18 6V LED 2W C/W CANOPY	8740460090136
	RMSM1-12V2WLJWHT	HEAD PAR18 12V LED 2W C/W CANOPY	8740460083763
	RMSM1-06-12V3WLJ	HEAD PAR18 6V TO 12V LED 3W C/W CANOPY	753454000170
	RMSM1-06-12V4WLJ	HEAD PAR18 06-12V LED 4W WHITE	753454000361
	**RMSM2-06V2WLJWHT**	HEADS PAR18 6V LED 2W C/W CANOPY	8740460090143
	RMSM2-12V2WLJWHT	HEADS PAR18 12V LED 2W C/W CANOPY	8740460083770
	RMSM2-06-12V3WLJ	HEADS PAR18 6V TO 12V LED 3W C/W CANOPY	753454000187
	RMSM2-06-12V4WLJ	HEADS PAR18 06-12V LED 4W WHT	753454000378
	**RMMD1-06-24V4WLRWH**	HEAD MR16 DIE CAST REMOTE 6-24V 4WLR WHITE	8740460070916
	RMMD2-06-24V4WLRWH	HEADS MR16 DIE CAST REMOTE 6-24V 4WLR WHITE	8740460070923

WAY2GO SERIES

LED DEL

QUICKSHIP

DURATION OF OVER 3 HOURS 6V 27 OR 36W UNITS



STEEL COMBO

CSRP-2L
6V 36W
2X 2W LED

CSRP-3L
6V 36W
2X 3W LED



STEEL BATTERY UNIT

EBST-2L
6V 36W
2X 2W LED

EBST-3L
6V 36W
2X 3W LED



PLASTIC BATTERY UNIT

EBPC-2L
6V 27W
2X 2W LED

DURATION OF OVER 8 HOURS 12V 72W UNITS

- 2 X 2.5W LED heads with lifetime limited warranty*
- LED heads equivalent to 2 X 20W MR16 lamps



CSRP12-2L
STEEL COMBO
12V 72W
2X 2.5W LED



EBST12-2L
STEEL BATTERY UNIT
12V 72W
2X 2.5W LED

UNIVERSAL 6VDC TO 12VDC REMOTES

NO MORE NEED TO CARRY 2 VOLTAGES IN STOCK

- Crisp white 2W or 3W LEDs
- Limited lifetime warranty*



RMSM1-06-12V3WLJ
RMSM1-06V2WLJWHT
RMSM1-12V2WLJWHT
UP TO 38 FT
SPACING FOR AN 8 FT
MOUNTING HEIGHT



RMSM2-06-12V3WLJ
RMSM2-06V2WLJWHT
RMSM2-12V2WLJWHT
UP TO 78 FT
SPACING FOR AN 8 FT
MOUNTING HEIGHT




DESIGN SPACING GUIDELINE

SPACING GUIDELINE FOR REMOTE HEADS, BATTERY UNITS AND COMBO SIGNS

PHOTOMETRY PERFORMANCE

LED			DEDICATED HEAD	LUMEN OUTPUT (LM)	EFFICIENCY (LM/W)
2W	6V, 12V	LJ[1]	RMSM	126	63
2.5W	12V	LJ[1]	RMSM	183	73
3W	6-12V	LJ[1]	RMSM	313	104
4W	6-12V	LJ[1]	RMSM	330	82
5W	6-12V	LJ[1]	RMSM	591	118
4W	24V	LR[2]		320	80
5W	24V	LA[2]		438	87
6W	12-24V	LA[2]		505	84
7W	12-24V	LA[2]		631	90
5W	12-24V	LJ[3]	RMHO	630	126
9W	12-24V	LJ[3]	RMHO	1 100	122
14W	12-24V	LJ[3]	RMHO	1 480	104

8' MOUNTING HEIGHT




[1] Lamps are only available with the RMSM head
[2] Available in multiple heads. Refer to spec sheet
[3] Lamps are only available with RMHO head

DESIGN SPACING GUIDELINE


10' MOUNTING HEIGHT

WATTS (W)	LAMP DESIGNATION	DEDICATED HEAD
2	LJ[1]	RMSM
2.5	LJ[1]	RMSM
3	LJ[1]	RMSM
4	LJ[1]	RMSM
5	LJ[1]	RMSM
4	LR[2]	
5	LA[2]	
6	LA[2]	
7	LA[2]	
HIGH OUTPUT SERIES		
5	LJ[3]	RMHO
9	LJ[3]	RMHO
14	LJ[3]	RMHO



15' MOUNTING HEIGHT

WATTS (W)	LAMP DESIGNATION	DEDICATED HEAD
2	LJ[1]	RMSM
2.5	LJ[1]	RMSM
3	LJ[1]	RMSM
4	LJ[1]	RMSM
5	LJ[1]	RMSM
4	LR[2]	
5	LA[2]	
6	LA[2]	
7	LA[2]	
HIGH OUTPUT SERIES		
5	LJ[3]	RMHO
9	LJ[3]	RMHO
14	LJ[3]	RMHO



[1] Lamps are only available with the RMSM head
[2] Available in multiple heads. Refer to spec sheet
[3] Lamps are only available with RMHO head

REMOTE LOADS GUIDELINE

BATTERY UNITS COMPLETE WITH LED HEADS[1]

		WATTAGE CAPACITIES (W)															
		TIME (MINS)															
MODEL	VOLTS (V)	30	60	90	120	150	180	210	240	270	300	330	360	390	420	450	480
EBST-2L (4W ALREADY LOADED)	6	32	16	11	8	6	5	4	0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
EBST12-2L (5W ALREADY LOADED)	12	67	33.5	22.3	17	13	11	9.5	8	7.5	6.7	6	5.5	5	5	5	5

STANDARD BATTERY UNIT[1]

		WATTAGE CAPACITIES (W)			
		TIME (MINS)			
MODEL	VOLTS (V)	30	60	90	120
EBST-06036	6	36	18	12	9
EBST-06050	6	50	25	16	12
EBST-06072	6	72	36	24	18
EBST-06100	6	100	50	33	25
EBST-06160	6	160	80	53	40
EBST-06180	6	180	90	60	45
EBST-12036	12	36	18	12	9
EBST-12050	12	50	25	16	12
EBST-12072	12	72	36	24	18
EBST-12100	12	100	50	33	25
EBST-12144	12	144	72	48	36
EBST-12160	12	160	80	53	40
EBST-12200	12	200	100	66	50
EBST-12250	12	250	125	83	62
EBST-12360	12	360	180	120	90
EBST-24144	24	144	72	48	36
EBST-24200	24	200	100	66	50
EBST-24320	24	320	160	106	80
EBST-24350	24	350	175	116	87
EBST-24550	24	550	275	183	137
EBST-24720	24	720	360	240	180

LOAD PER LED SIGN WHEN USING UNVDC

MODEL	MAX WATTAGE DRAW (W)
RPSP	2.1
RPNP	2.75
RPST	1.9
RPALW	1.9
RPEL	2.6
RPN	1.2

PLASTIC REMOTE HEAD

MODEL	MAX WATTAGE DRAW (W)
RMSM	2
	2.5
	3
	4
	5
	6
	7

[1] Please ensure you allow 20% when loading battery unit capacity.

You want to leave about 20% gap between the capacity of the battery and the amount of load you attach to it in order to maximize the life cycle of the battery.

SCENARIO 1

30 MINUTES RUN TIME REQUIREMENT



1X EBST-2L
6 V 36 W WITH 2X 2 W LED HEADS MOUNTED TO THE BATTERY
TOTAL CAPACITY: 36 W

-20% SUGGESTED USABLE CAPACITY: 28.8 W





2 LED HEADS	2X RPNP SERIES SIGNS	6X RMSM1
2 W PER HEAD	2.75 W PER SIGN	3 W PER REMOTE HEAD
4 W	**5.5 W**	**18 W**

TOTAL LOAD CONNECTED TO THE BATERY UNIT = 27.5 W
REMAINING SUGGESTED CAPACITY = 1.3 W

SCENARIO 2

120 MINUTES RUN TIME REQUIREMENT



6X EBST12250-2SM5LA
12 V 250 W WITH 2X 5 W LED HEADS MOUNTED TO THE BATTERY
TOTAL CAPACITY: 6X 250 W = 1 500 W

-20% SUGGESTED USABLE CAPACITY:
6X 200 W = 1 200 W





6X 2 LED HEADS	10X RPNP SERIES SIGN	20X RMSM2
5 W PER HEAD	2.75 W PER SIGN	10 W PER DOUBLE REMOTE HEAD
60 W	**27.75 W**	**200 W**

TOTAL LOAD CONNECTED TO THE BATERY UNIT = 287.75 W

INDOOR LIGHTING

HIGH BAY



HVR-PS150-32-3C-B	LED ROUND HIGH BAY 120-347V 15333-23700LM 100/120/150W 35/40/50K BLACK HOUSING	753454007353
HVR-PS150-32-3C-W	LED ROUND HIGH BAY 120-347V 15333-23700LM 100/120/150W 35/40/50K WHITE HOUSING	069549035836
HVR-PS200-32-3C-B	LED ROUND HIGH BAY 120-347V 22000-31898LM 150/180/200W 35/40/50K BLACK HOUSING	753454007360
HVR-PS240-32-3C-B	LED ROUND HIGH BAY 120-347V 22839-35948LM 150/200/240W 35/40/50K BLACK HOUSING	753454007377
HVR-PS300-32-3C-B	LED ROUND HIGH BAY 120-347V 36000-45316LM 240/270/300W 35/40/50K BLACK HOUSING	753454007384



HBRV-PS150-32/3C-B	ROUND LED HIGH BAYS 120-347V 16000-24000LM 100/120/150W 35K/40K/50K BLACK HOUSING	753454005199
HBRV-PS150-32/3C-W	ROUND LED HIGH BAYS 120-347V 16000-24000LM 100/120/150W 35K/40K/50K WHITE HOUSING	753454005137
HBRV-PS180-32/3C-B	ROUND LED HIGH BAYS 120-347V 23258/24621/29509LM 130/150/180W 35K/40K/50K BLACK HOUSING	753454005946
HBRV-PS240-32/3C-B	ROUND LED HIGH BAYS 120-347V 32000-36000LM 200/240W 35K/40K/50K BLACK HOUSING	753454005205



R21H-LA1-2/40K	ROUND LED INDUSTRIAL HIGHBAYS 120-277V 13465LM 100W 4000K	069549019140
R21H-LA2-2/40K	ROUND LED INDUSTRIAL HIGHBAYS 120-277V 20315LM 151W 4000K	069549019164
R21H-LA2-2/50K	ROUND LED INDUSTRIAL HIGHBAYS 120-277V 20487LM 151W 5000K	069549019171
R21H-LA3-2/40K	ROUND LED INDUSTRIAL HIGHBAYS 120-277V 27069LM 202W 4000K	069549019188
R21H-LA5-2/50K	ROUND LED INDUSTRIAL HIGHBAYS 120-277V 37376LM 243W 5000K	069549019232



E5H-24PS120-32-3C	LINEAR LED HIGH BAY 2FT 120-347V 80/100/120W 12800-19200LM 35/40/50K	753454005717
E5H-24PS160-32-3C	LINEAR LED HIGH BAY 2FT 120-347V 110/130/160W 17600-24800LM 35/40/50K	753454005724
E5H-24PS200-32-3C	LINEAR LED HIGH BAY 2FT 120-347V 155/185/200W 24800-31000LM 35/40/50K	753454005731
E5H-48PS160-32-3C	LINEAR LED HIGH BAY 4FT 120-347V 85/120/160W 13600-24800LM 35/40/50K	753454005748
E5H-48PS240-32-3C	LINEAR LED HIGH BAY 4FT 120-347V 160/200/240W 24800-37920LM 35/40/50K	753454005755
E5H-48PS360-32-3C	LINEAR LED HIGH BAY 4FT 120-347V 270/310/360W 42120-57600LM 35/40/50K	753454005762
E5H-48PS480-32-3C	LINEAR LED HIGH BAY 4FT 120-347V 320/400/480W 51200-76800LM 35/40/50K	753454005779
E5H-48PS625-32-3C	LINEAR LED HIGH BAY 4FT 120-347V 500/560/625W 80000-100000LM 35/40/50K	753454005786

WRAPS / STRIPS



1000000	4FT LED LINKABLE WRAP 5060LM 44W 35/40/50K 120-277V	753454007636
1000001	4FT LED WRAP (HARDWIRE) 20/25/32/40W 30/35/40/50/65K 2660-5400LM 120-347V	753454007643



SRS-2LA1-32/3C	2FT SLIM STRIP 2600L 20W 35/4/5K 120347V	753454006271
SRS-4LP45-32/3C	4FT SLIM STRIP 25/30/45W 35/4/5K 120347V	753454006288
SRS-8LP90-32/3C	8FT SLIM STRIP 65/75/90W 35/4/5K 120347V	753454006295



SQS-4LP45-32/3C	4FT SLIM STRIP SQR 25/30/45W 3CCT 120347	753454006301
SQS-4LP45-32/3C-BK	4FT SLIMSTR SQR 25/30/45W 3CCT 120347 BK	753454006325
SQS-8LP90-32/3C	8FT SLIM STRIP SQR 65/75/90W 3CCT 120347	753454006318
SQS-8LP90-32/3C-BK	8FT SLIMSTR SQR 65/75/90W 3CCT 120347 BK	753454006332



S20TR-24LA1-32/3C	2FT SENSOR STRIP 20W 35/40/50K 120-347V	753454004901
S20TR-36LP30-32/3C	3FT SENSOR STRIP 18/25/30W 35/40/50K 120-347V	753454005267
S20TR-48LP40-32/3C	4FT SENSOR STRIP 25/30/40W 35/40/50K 120-347V	753454004918
S20TR-48LP45-32/3C	4FT SENSOR STRIP 34/38/45W 35/40/50K 120-347V	753454004840
S20TR-48P45/3C/PIR	4FT PIR STRIP 34/38/45W 35/40/50K 12034	753454007049
S20TR-48LP45323CBK	4FT SENSTRIP 34/38/45W 35/4/5K 120347BLK	753454006684
S20TR-48LP80-32/3C	4FT SENSORSTRIP 44/60/80W 35/4/5K 120347	753454006721
S20TR-48LA2-32/3C	4FT SENSOR STRIP 56W 35/40/50K 120-347V	753454004925
S20TR-96LP90-32/3C	8FT SENSOR STRIP 65/75/90W 35/40/50K 120-347V	753454004932
S20TR-96P90/3C/PIR	8FT PIR STRIP 65/75/90W 35/40/50K 120347	753454007056



S20RS-24LA1-32/3C	2FT STRIP 20W 35/40/50K 120-347V	753454004888
S20RS-36LP30-32/3C	3FT STRIP 18/25/30W 35/40/50K 120-347V	753454005250
S20RS-48LP40-32/3C	4FT STRIP 25/30/40W 35/40/50K 120-347V	753454004819
S20RS-48LP45-32/3C	4FT STRIP 34/38/45W 35/40/50K 120-347V	753454004826
S20RS-48LP45323CBK	4FT STRIP 34/38/45W 35/40/50K 120347 BLK	753454006660
S20RS-48LP80-32/3C	4FT STRIP 44/60/80W 35/40/50K 120-347V	753454006707
S20RS-48LA1-32/3C	4FT STRIP 35W 35/40/50K 120-347V	753454006011
S20RS-48LA2-32/3C	4FT STRIP 56W 35/40/50K 120-347V	753454004895
S20RS-96LP90-32/3C	8FT STRIP 65/75/90W 35/40/50K 120-347V	753454004833
S20RS-96LP90323CBK	8FT STRIP 65/75/90W 35/40/50K 120347 BLK	753454006677
S20RS-96LP142-323C	8FT STRIP 112/126/142W 35/40/50K120-347V	753454006714



SSM-48P45-32/TWBTS	4FT SMARTSTRIP PIR 45W TUNWH 3-5K 120347	753454005595
SSM-96P90-32/TWBTS	8FT SMARTSTRIP PIR 90W TUNWH 3-5K 120347	753454007391
SSM-48P45-32/TWBT	4FT SMART STRIP 45W TUNWH 30-50K 120347V	753454005601
SSM-96P90-32/TWBT	8FT SMART STRIP 90W TUNWH 30-50K 120347V	753454005618

CENTER BASKETS



C2AR-1LPS30P-32/3C	LED BSKT 1X4 120347V 20/25/30W 35/40/50K	753454004697
C2AR-2LPS35P-32/3C	LED BSKT 2X2 120347V 25/30/35W 35/40/50K	753454004703
C2AR-4LPS45P-32/3C	LED BSKT 2X4 120347V 34/38/45W 35/40/50K	753454004710

PANELS



PBLV-1LPS40-32/5C	BL PNL 1X4 20/25/30/35/40W 120-347 30/35/40/50/65K	753454006134
PBLV-2LPS40-32/5C	BL PNL 2X2 20/25/30/35/40W 120-347 30/35/40/50/65K	753454006141
PBLV-4LPS50-32/5C	BL PNL 2X4 30/35/40/45/50W 120-347 30/35/40/50/65K	753454006158

PBLP-1LPS40P-32/3C	BACKLIT PANEL PR 1X4 20/30/40W 35/40/50K G2	753454007209
PBLP-2LPS40P-32/3C	BACKLIT PANEL PR 2X2 20/30/40W 35/40/50K G2	753454007216
PBLP-4LPS50P-32/3C	BACKLIT PANEL PR 2X4 30/40/50W 35/40/50K G2	753454007223



PSM-1P40P-32/TWBT	1X4 SMART BL PANEL 40W TUNWH 3-5K 120347	753454005656
PSM-2P40P-32/TWBT	2X2 SMART BL PANEL 40W TUNWH 3-5K 120347	753454005663
PSM-4P50P-32/TWBT	2X4 SMART BL PANEL 50W TUNWH 3-5K 120347	753454005670

LINEAR ARCHITECTURAL



AUS-G2-2LA1-3C-WH	AUSO GEN2 2FT LA1 3C WH	753454005434
AUS-G2-2LA1-3C-BK	AUSO GEN2 2FT LA1 3C BK	753454005441
AUS-G2-2LA1U-3C-WH	AUSO GEN2 2FT LA1U 3C WH	753454005458
AUS-G2-2LA1U-3C-BK	AUSO GEN2 2FT LA1U 3C BK	753454005465
AUS-G2-4LA1-3C-WH	AUSO GEN2 4FT LS1 3C DIRECT WH	753454002440
AUS-G2-4LA2-3C-WH	AUSO GEN2 4FT LS2 3C DIRECT WH	753454002457
AUS-G2-4LA2-3C-BK	AUSO GEN2 4FT LS2 3C DIRECT BK	753454002464
AUS-G2-4LA2U-3C-WH	AUSO GEN2 4FT LS2 3C DIRECT/INDIRECT WH	753454002471
AUS-G2-4LA2U-3C-BK	AUSO GEN2 4FT LS2 3C DIRECT/INDIRECT BK	753454002488
AUS-G2-8LA1-3C-WH	AUSO GEN2 8FT LS1 3C DIRECT WH	753454002495
AUS-G2-8LA1-3C-BK	AUSO GEN2 8FT LS1 3C DIRECT BK	753454002501
AUS-G2-8LA1U-3C-WH	AUSO GEN2 8FT LS1 3C DIRECT/INDIRECT WH	753454002518
AUS-G2-8LA1U-3C-BK	AUSO GEN2 8FT LS1 3C DIRECT/INDIRECT BK	753454002525
KIT-CK2	CONT KIT FOR AUSO ROW MOUNTING GEN2	753454002532
CANOPY-AUS-L-WH	CANOPY KIT WITH SUSPENSION CABLES FOR AUSL - WH	753454004758
CANOPY-AUS-L-BK	CANOPY KIT WITH SUSPENSION CABLES FOR AUSL - BK	753454004765

VAPOR TIGHT

WIDE BODY



VPE4-LA3B-32-3C	VPE4-L LED 4FT 120-347V 5379-5688LM 40W 35/40/50K	753454005304
VPE4-LA4B-32-3C	VPE4-L LED 4FT 120-347V 8061-8441LM 60W 35/40/50K	753454005311
VPE4-LA3-2/40K	VPE4 LED 4FT 40W 5200LM 120-277V 40K DIM1	8740460082742
VPE4-LA3-2/40/OS1	VPE4 LED 4FT 40W 5200LM 120-277V 40K OS1	8740460086993
VPE4-LA3-2/50K	VPE4 LED 4FT 40W 5200LM 120/277V 50K DIM1	8740460083046
VPE4-LA4-2/40K	VPE4 LED 4FT 60W 7900LM 120-277V 40K DIM1	8740460082759
VPE4-LA4-2/50K	VPE4 LED 4FT 60W 7900LM 120/277V 50K DIM1	8740460083053


MEDIUM BODY



VPL4-3-PS132-3C	LED 4FT 30/40/50W 4200-7000LM 120-347V 3CCT	753454007315
VPL4-3-PS232-3C	LED 4FT 30/45/60W 4350-8700LM 120-347V 3CCT	753454007322



VPL8-LA1B-32-3C	LED 8FT 120-347V 9622LM 65W 35/40/50K	753454005168
VPL8-PS110B-32-3C	LED 8FT 65/75/90/110W 9796-16101LM 120-347V 3CCT	753454005175
VPL8-LA1-32/40K	VPL8-L LED VT 8FT 120347V 8450L 40K	753454003409
VPL8-LA1-32/50K	VPL8-L LED VT 8FT 120347V 8450L 50K	753454003416
VPL8-LA1A-32/40K	VPL8-L LED VT 8FT 120347V 12600L 40K	753454002570
VPL8-LA1A-32/50K	VPL8-L LED VT 8FT 120347V 12600L 50K	753454002587
VPL8-LA3-32/40K	VPL8-L LED VT 8FT 120347V 15400L 40K	753454002594
VPL8-LA3-32/50K	VPL8-L LED VT 8FT 120347V 15400L 50K	753454002600



1000030	VWP4-3-PS60-32-3C	753454007902
1000031	VWP4-3-PS90-32-3C	753454007919



1000032	WPFH4-3-PS160-32-3C	753454007940
1000033	WPFH4-3-PS240-32-3C	753454007957



1000034	VPHB4-PS160-32-3C	753454007926
1000035	VPHB4-PS245-32-3C	753454007933

OUTDOOR LIGHTING

WALL PACK



W3I-LA2B-2-3C-BR-P	LED Wall Packs 20W 2560-2921LM 120-277V 3000K/4000/5000K BRONZE	753454004079
W3I-LA2B-2-3C-WH-P	LED Wall Packs 20W 2560-2921LM 120-277V 3000K/4000/5000K WHITE	753454004086



W16A-LA1B-2-3CBRP	W16A-LA1B-2-3C-BR-P 120-277 2262LM 3C AM	753454003461



W16S-PS40B-323CBK	LED WALL PACK 25/30/40W 3855-5981LM 120-347V 3000/4000/5000K BLACK	753454006356
W16S-PS100B-323CBK	LED WALL PACK 60/80/100W 8678-14554LM 120-347V 3000/4000/5000K BLACK	753454006363
W16S-NS120B-323CBK	LED WALL PACK 120W 17430LM 120-347V 3000/4000/5000K BLACK	753454006370
W16S-PS40B-323CBR	LED WALL PACK 25/30/40W 3855-5981LM 120-347V 3000/4000/5000K BRONZE	753454006103
W16S-PS100B-323CBR	LED WALL PACK 60/80/100W 8678-14554LM 120-347V 3000/4000/5000K BRONZE	753454006110
W16S-NS120B-323CBR	LED WALL PACK 120W 17430LM 120-347V 3000/4000/5000K BRONZE	753454006349
W16S-PS40B-323CWH	LED WALL PACK 25/30/40W 3855-5981LM 120-347V 3000/4000/5000K WHITE	753454006752
W16S-PS100B-323CWH	LED WALL PACK 60/80/100W 8678-14554LM 120-347V 3000/4000/5000K WHITE	753454006769



WCS-PS60-32-3C-BK	WP 120-347V 4200-8400LM 3CCT BLACK	753454006028
WCS-PS80-32-3C-BK	WP 120-347V 5600-11200LM 3CCT BLACK	753454006035
WCS-PS60-32-3C-BR	WP 120-347V 4200-8400LM 3CCT BRONZE	753454006042
WCS-PS80-32-3C-BR	WP 120-347V 5600-11200LM 3CCT BRONZE	753454006059



W6C-PS60A3-323CBRP	W6C-PS60A3-32-3C-BR-P 3347-7380 WP	753454003492
W6C-PS100A3323CBRP	W6C-PS100A3-32-3C-BR-P 10000-13165 WP	753454003508



W20T-PS30A-323CBRP	W20T-PS30A-32-3C-BR-P 1950-3925 120-347	753454003911
W20T-PS80A-323CBRP	W20T-PS80A-32-3C-BR-P 6500-10429 120-347	753454003928



OVW-LA1-2-3C-BR	LED WALL PACK 1800LM 120-277V 3CCT BRONZE	753454005960
OVW-LA1-2-3C-BK	LED WALL PACK 1800LM 120-277V 3CCT BLACK	753454005953
OVW-LA1-2-3C-WH	LED WALL PACK 1800LM 120-277V 3CCT WHITE	753454005977



POWER AND CCT SELECTABLE

FSBS-PS150W-323CBR	FL 120-347V 8 700-21 750LM 3CCT BRONZE
FSBM-PS300W-323CBR	FL 120-347V 23 200-43 500LM 3CCT BRONZE
FSBL-PS450W-323CBR	FL 120-347V 50 750-63 000LM 3CCT BRONZE
FSBS-PS150W-323CBK	FL 120-347V 8 700-21 750LM 3CCT BLACK
FSBM-PS300W-323CBK	FL 120-347V 23 200-43 500LM 3CCT BLACK
FSBL-PS450W-323CBK	FL 120-347V 50 750-63 000LM 3CCT BLACK

MOUNTING ACCESSORIES FOR FSB SERIES



CAS1013-YOKE-S-BR	BRONZE YOKE 150W
CAS1013-YOKE-M-BR	BRONZE YOKE 300W
CAS1013-YOKE-L-BR	BRONZE YOKE 450W
CAS1013-TRUNNIONBR	BRONZE TRUNNION 150-450W
CAS1013-SFITTERSBR	BRONZE SLIPFITTER 150-300W
CAS1013-SFITTERLBR	BRONZE SLIPFITTER 450W
CAS1013-RNDSQPBR	BZ STRAIGHT ARM SQR/RND POLE 150-450W
KITCAS1013-SWADSBR	BZ SLIPFITTER WALL ADAPT. 150-300W
KITCAS1013-SWADLBR	BZ SLIPFITTER WALL ADAPT. 450W
CAS1013-YOKE-S-BK	BLACK YOKE 150W
CAS1013-YOKE-M-BK	BLACK YOKE 300W
CAS1013-YOKE-L-BK	BLACK YOKE 450W
CAS1013-TRUNNIONBK	BLACK TRUNNION 150-450W
CAS1013-SFITTERSBK	BLACK SLIPFITTER 150-300W
CAS1013-SFITTERLBK	BLACK SLIPFITTER 450W
CAS1013-RNDSQPBK	BK STRAIGHT ARM SQR/RND POLE 150-450W
KITCAS1013-SWADSBK	BK SLIPFITTER WALL ADAPT. 150-300W
KITCAS1013-SWADLBK	BK SLIPFITTER WALL ADAPT. 450W
GS012-S-BR	BRONZE GLARE SHIELD 150W
GS012-M-BR	BRONZE GLARE SHIELD 300W
GS012-L-BR	BRONZE GLARE SHIELD 450W
GS012-S-BK	BLACK GLARE SHIELD 150W
GS012-M-BK	BLACK GLARE SHIELD 300W
GS012-L-BK	BLACK GLARE SHIELD 450W
LEN412-S-T2	T2 AREA LIGHT OPTICS FOR 150W
LEN412-S-T3	T3 AREA LIGHT OPTICS FOR 150W
LEN412-S-T5	T5 AREA LIGHT OPTICS FOR 150W
LEN412-M-T2	T2 AREA LIGHT OPTICS FOR 300W
LEN412-M-T3	T3 AREA LIGHT OPTICS FOR 300W
LEN412-M-T5	T5 AREA LIGHT OPTICS FOR 300W
LEN412-L-T2	T2 AREA LIGHT OPTICS FOR 450W
LEN412-L-T3	T3 AREA LIGHT OPTICS FOR 450W
LEN412-L-T5	T5 AREA LIGHT OPTICS FOR 450W
LEN412-S-T4	T4 AREA LIGHT OPTICS FOR 150W
LEN412-M-T4	T4 AREA LIGHT OPTICS FOR 300W
LEN412-L-T4	T4 AREA LIGHT OPTICS FOR 450W

FLOOD LIGHT



FBL-PS25-32-3C-BK	BULLET FLOOD LIGHT 15/20/25W 120-347V 30/40/50K 4X4/5X5/6X6 PHOTOCELL BLACK	753454007261



MLFPS25B323CBK	LED FLOOD LIGHT 15/25W 3493LM 120-347V 3000/4000/5000K KNUCKLE, YOKE MOUNTS & WALL MOUNT PLATE BLACK	753454006387
MLFPS60B323CBKP	LED FLOOD LIGHT 35/60W 8435LM 120-347V 3000/4000/5000K KNUCKLE, YOKE MOUNTS & WALL MOUNT PLATE BLACK	753454006394
MLFPS100B323CBKP	LED FLOOD LIGHT 60/80/100W 14093LM 120-347V 3000/4000/5000K SLIPFITTER, YOKE BLACK	753454006400
MLFPS150B323CBKP	LED FLOOD LIGHT 100/120/150W 21470LM 120-347V 3000/4000/5000K SLIPFITTER, YOKE BLACK	753454006417

UNDER CANOPY AND GARAGE LIGHT



UCS-PS70A-32-3CBRP	SQUARE LED CANOPY/GARAGE LIGHT 40/60/70W 5 798/8 378/9 745LM, 120-347V, 3000/4000/5000K BRONZE , PHOTOCELL INCLUDED CONTROL READY	
UCS-PS70A-32-3CWHP	SQUARE LED CANOPY/GARAGE 40/60/70W 5 798/8 378/9 745LM, 120-347V, 3000/4000/5000K WHITE , PHOTOCELL INCLUDED CONTROL READY	

JAM JAR AND SECURITY LIGHTS



JAM-PS20A-32-3C-GY	JM 120-347V 1 253-2 501LM 3CCT GREY	753454005182



SDH-LA1B-4-3C-BR	SECURITY LIGHT 120V 1974LM 3CCT BRONZE	753454005571
SDH-LA1B-4-3C-WH	SECURITY LIGHT 120V 1974LM 3CCT WHITE	753454005588



CSH-PS24A-4-3C-BK	SECURITY LIGHT 120V 1 852-2 498LM 3CCT BLACK
CSH-PS24A-4-3C-WH	SECURITY LIGHT 120V 1 852-2 498LM 3CCT WHITE

PRODUCT GUIDE

EMERGENCY

INDUSTRIAL

COMMERCIAL

HAZARDOUS LOCATION

ARCHITECTURAL



EMERGENCY LIGHTING

SIGNS

DELUGE - RPN


RPNX


RPW


RPSP


RPSC


RPNP


RP10


RPB


RPDB


RPALW


RPST


RPVR


RPES


RPER


RPEL


RPTE


RPWP


RPRC


RPHZ


RPZN2


COMBOS

DELUGE- CRPN


CRPNX


CRPW


CRPER


CRVE


CSRM1


CARPW


CPRNP-2HI


CDRP


CSRP-2L
CSRP12-2L


CSRP


RPUB


CRRP




EB4R



CRPZN2



CRPHZ



BATTERY UNITS

NUCLEUS



EBRC



EBWL



DELUGE-EBN



EBNX



EBW



EBPW



EB1



EBST-2L/EBST12-2L



EBST



EBS4



EBPH-5L



EBPC-2L



EBPC-5L



EBTB



EBQV



EBWD



EBWP



EBDT



EBZN2



EBHZ



REMOTES

RMSV



RMN



RMNX



RMWP



RMWL



RMSM




RMMD



RMMB



RMQV



RMQVD



RMMG



RMMGR



RMMW



RMHO



RMHZ



PHOTOLUMINESCENT

AI723



RPTB



ZONE SENSING

ZNSC2



INVERTERS

EBST-MVP



EBST-MDI



NVJ



NVM



NVQ




NVR



ACCESSORIES

WGD WIREGUARDS & SHELVES



SPECIAL WORDING



OUTDOOR LIGHTING

WALL PACKS

W16A-L GEN2
LED



W6C
LED



W20T
LED



W16S-L GEN4
LED



W3I-L GEN2
LED



OVA-L
LED



CYL
LED



FLOOD LIGHTS

FSB SERIES
LED



FBL
LED



MLF GEN. 2
LED



AREA LIGHTING

A12K-L GEN. 2
LED



PST
LED



BOLLARDS

B15H-L
LED



B15A-L
LED



UNDER CANOPY & GARAGE

UCL-L
LED



JAM-L
LED



SDH-L
LED



VAPOR TIGHTS

VPL4 GEN. 3
LED



VPL8-L GEN. 2
LED



VPL8-L GEN. 1
LED



VPE4-L GEN. 2
LED



VP2-L GEN. 2
LED



VP4-L GEN. 2
LED



VWP4-L GEN. 2
LED



VWP8-L GEN. 2
LED



WPFH-L GEN. 2
LED



VWX4-L
LED



INDOOR LIGHTING

HIGH BAYS

HVR
LED



HBRV
LED




R21H
LED



E5H GEN. 2
LED



WPFH-L GEN 2
LED



STRIPS

S20RS
LED



S20TR
LED



SQS
LED



SRS
LED



SSM
LED




WRAPS

W13GM
LED




PANELS / CENTER BASKETS


PBLV
LED



PBLP
LED



PSM
LED




C2AR GEN 2
LED



LINEAR ARCHITECTURAL

AUSO - AUS-L GEN 2
LED



HAZARDOUS

HZL2
LED



HZF2
LED



HZB2
LED



TERMS & CONDITIONS OF SALES

1. PRICING

Prices are subject to change without notice. In the event of a price increase all orders on hand will be filled at lower prices provided such orders are released from shipping prior to the price increase. If the orders are not released for shipment prior to the price increase, the orders will be billed at prices in effect at the time of the shipment. Minimum billing is 100$ net.

2. MINIMUM ORDER

Minimum order is 100$ net.

3. TAXES

Prices exclude taxes. GST & PST (where applicable) are not included in prices.

4. BACK ORDERS

All backorders will be cancelled after 3 months.

5. PAYMENT TERMS

All Aimlite payment terms are Net 30 days.

6. FREIGHT ALLOWANCE CANADA

Shipments are F.O.B our plant minimum prepaid $1,250.00 for all major points within Canada except for poles and inverters over 1400 watts are prepaid and charged. All orders having a distributor price less than the minimum mentioned above will be assessed freight and handling charges. Special customer shipping requirements that cause additional shipping expenses above normal may be charged for the additional cost.

Special customer shipping requirements that cause additional shipping expenses above normal may be charged for the additional cost. Shipments to the USA for Canadian customers will be subject to duty and brokerage fees at the customer's expense.

7. TRANSPORTATION CLAIMS

All our products are factory tested to be free from defects prior to shipping. Title passes to purchaser upon delivery by us to transporter, and all claims for damages or shortages in transit shall be made by the purchaser with delivering transport company. Our customer service personnel will be glad to assist in any way in the advent that purchaser requires assistance.

8. RETURN OF MERCHANDISE

Merchandise may not be returned without prior written notice. Requests to return merchandise must be made within 60 days of receipt of goods. All returns must be shipped prepaid to Aimlite. Credit will be issued based on the original invoice price, or price in effect at time of return, whichever is lower, less minimum restocking charge of 35%. All non-stocking, special, custom made or modified versions of normal stocking items are not returnable.

9. CANCELLATION CHARGES

Orders for stocking items may be cancelled prior to shipping without charge. All other orders may not be cancelled unless Aimlite is reimbursed for work already performed and for special material purchased by our company. If an order is cancelled after shipment or if delivery is refused at destination, all warehouse, delivery, and return costs will be charged to the customer.

10. POLES

Shipment and Storage: Shipment of goods must be made within thirty (30) days of completion, or be subject to a stocking charge. Poles not erected immediately must be unwrapped by purchaser and stored above ground. AimLite is not responsible for erosion to finish caused by improper storage.

NOTES

NOTES



AimLite

2233 rue de l'Aviation,
Dorval QC
H9P2X6, CA

T 514 227-1288
TF 1 866 348-2374
AimLite.com

2026-10-02