

AimLite

ORION ORN - LED Sports Light

3 POWER SELECTABLE



FEATURES

- Power Selectable
400/500/600 W
600/800/1 000 W
- Color temperature: 4 000 K
- 120-347V, 200-480V
- Black housing finish
- Yoke mounting
- Nema Types: 3x3, 5x5
- 3G vibration rated
- Includes 5ft. of power cable



600W



1 000W



POWER
SELECTABLE



QUICKSHIP



LED



DIMMABLE



WET
LOCATION



65
IP
RATING



IK08
IMPACT
RESISTANCE



ICES
005



UL
CERTIFIED

AimLite

ORION

T 514 227-1288

TF 1866 348-2374


aimlite.com



Accessories



Laser Pointer



Slipfitter



Glare shield

Summary Specification Table

PRODUCT NUMBER	WATTS [W]	VOLTS [VAC]	COLOR TEMP. [K] ¹	LUMEN OUTPUT [LM] ²	EFFI- CACY [LM/W]	CRI	LIFE L70 [HRS] ³	TESTED HOURS LM-80 [HRS] ³	NEMA TYPE	BUG	EPA [FT ²] ⁴	LED CURRENT [MA]	FINISH	PHOTO- CELL [YES/NO]	TRAD. EQUI- VALENT [W]		MASTER CASE QTY
															MH	HPS	
ORN-PS600-3	400/500/600	120-347	4 000	57 559/68 674/85 178	140	70+	150 000	10 000	3X3	B5-U0-G1	1.6	126-190	BLACK	NO	1 000	1 000	1
ORN-PS1000-3	600/800/1 000	200-480	4 000	91 893/119 450/144 977	143	70+	150 000	10 000	3X3	B5-U0-G2	3.3	146-155	BLACK	NO	1 000	1 000	1
ORN-PS600-5	400/500/600	120-347	4 000	63 067/74 631/88 554	146	70+	150 000	10 000	5X5	B5-U0-G1	1.6	126-190	BLACK	NO	1 000	1 000	1
ORN-PS1000-5	600/800/1 000	200-480	4 000	88 154/114 520/147 425	145	70+	150 000	10 000	5X5	B5-U0-G2	3.3	140-149	BLACK	NO	1 000	1 000	1

¹ Typical color temperature range: +/- 5 %.

² Lumen values are derived from photometric testing. Initial lumens range: +/- 10 %.

³ Life hours are derived from IESNA LM-80 testing report and projected per IESNA TM-21 extrapolations.

⁴ Sports light positioned at a 0° tilt.

ACCESSORIES [order separately]

PRODUCT NUMBER	TYPE
GS011-S	Glare shield for 600W
GS011-L	Glare shield for 1 000W
LZP001	Laser Pointer ²
CAS1012-SLIPFITTER	Slipfitter 600W-1 000W ¹

¹ EPA value: 2.17ft² for 600W models and 3.85ft² for 1 000W models with a 0° tilt

² Laser pointer includes one rechargeable battery and battery recharger